



We Deliver Product Transparency

Declare.



Our Commitment to Product Transparency

We are the first lighting manufacturer to enroll nearly all of its portfolio of luminaires in the International Living Future Institute's (ILFI) Declare 2.0 Program.


Over 90% of Finelite's portfolio received a Red List Approved declaration.

Market Needs

RED LIST
CHALLENGE



DISCONNECT



TRANSPARENCY



What is Declare Program?

Declare is an ingredients initiative for building products that is designed to shape a greener, healthier environment for construction workers, business employees, and customers alike.

The Declare program labels goods with a full list of ingredients, and expands the transparency of the building market.

A Declare label answers three questions:

1. Where does a product come from?
2. What is it made of?
3. Where does it go at the end of its life?

Declare: An Ingredients Label



Nutrition Facts

Many Nutrients But Few Calories

Half a cup cooked asparagus **90g**

Calories Calories from fat 2

%Daily Value

Total fat 0%
Saturated fat 0%
Trans fat

Cholesterol 0mg 0%

Sodium 201.6mg 9%

Potassium 3.7g 6%

Total Carbohydrate 1%

Dietary fiber 1.8g 7%

Sugars 1.17g

Sugar alcohols

Protein 2.16g

Vitamin A 905.4 IU 18%

Vitamin C 6.93mg 12%

Calcium 20.7mg 2%

Iron 0.82mg 5%

Reading the Declare Label

Final Assembly Locations are collectively represented on a single label.

Embodied Carbon (optional) discloses the cradle-to-gate impacts of manufacturing the product as reported by manufacturer-specific Type III Environmental Product Declarations.

End-of-life options: take back programs; salvageable or reusable in its entirety; biodegradable/compostable (%); recyclable (%); landfill (%); hazardous waste.

Ingredients are reported by component. Ingredients without restriction appear in grey; **Red List chemicals appear in dark orange;** **Watch List Priority for inclusion chemicals appear in light orange.**

LBC Temporary Exemptions recognize specific market limitations and provide a compliance pathway for products to obtain LBC Compliance recognition.

Declare Identifier for company and product, valid for 12 months.

Original Issue Date indicates how long a product has been in the program.

Declare.

FINELITE TAILORED LIGHTING
Steel Luminaires -RLA
Finelite, Inc.

Final Assembly: Livermore, California, USA; Union City, California, USA
Life Expectancy: 10 Year(s)
End of Life Options: Recyclable (100%)
EU CoC Screened: Contains

Ingredients:

Steel; Small Electrical Component†; Polymethyl methacrylate; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethyl 2-propenoate; Poly[[imino(1,6-dioxo-1,6-hexanediy)imino-1,6-hexanediy]]]; Aluminum; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate and ethanylbenzene; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with dietherylbenzene and ethanylbenzene; Copper; Melamine cyanurate; Titanium dioxide; 1,3-Benzene dicarboxylic acid, polymer with 1,4-benzenedicarboxylic acid, 2,2-dimethyl-1,3-propanediol, 1,2-ethanediol and hexanedioic acid; 1-Propene, polymer with ethene; Bicyclo[2.2.1]hept-2-ene, 5-ethylidene-, polymer with ethene and 1-propene; Ammonium polyphosphate; Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene) bis(4,1-phenyleneoxy)methylene]bis[oxirane]; 2-Propenoic acid, 2-methyl-, C12-15-branched and linear alkyl esters, polymers with octyl methacrylate, Me methacrylate, polyethylene glycol methacrylate branched tridecyl ether and styaryl methacrylate; Methyl methacrylate; 1-Propene, homopolymer, isotactic; Barium sulfate; 1,3,5-Triazine, 2,4,6-trichloro-, polymer with piperazine, reaction products with morpholine; Aluminum hydroxide; Polyurethane foams: 1,3,5-Triisocyanato-s-triazinetrione[†]; Ethyl acrylate; Paraffin; Poly[[6-(4-morpholinyl)-1,3,5-triazine-2,4-diy]-1,4-piperazinediy] (average MW 1690 g/mol); Polyethylene; Zirconium adipate chloro hydroxy propylene glycol aluminum complexes

†LBC Temp Exemption RL-002 - Small Electrical Components
*REACH SVHC present > 100ppm
†SIN List present > 100ppm

Living Building Challenge Criteria: Compliant

I-13 Red List:

LBC Red List Free % Disclosed: 100% at 100ppm
 LBC Red List Approved VOC Content: Not Applicable
 Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

FIN-0001
EXP: 01 AUG 2023
SCREENED: 29 JUL 2022
Original Issue Date: 2020



MANUFACTURER CLAIMS VERIFIED BY SGS GLOBAL SERVICES
INTERNATIONAL LIVING FUTURE INSTITUTE™ livingfuture.org/declare

LBC Criteria Compliance demonstrates compliance with all Imperatives applicable to the selection of building products within the Living Building Challenge. If a product meets the requirements for all applicable imperatives, the product is considered fully compliant with the Living Building Challenge, and will be noted as such on the Declare label graphic itself.

I-13 Red List requires that manufacturers disclose the ingredients and VOC content (if applicable) in their products to ensure that they are free of Red List chemicals.

I-10 Interior Performance requires compliance with the California Department of Public Health (CDPH) Standard Method v1.1-2010 (or international equivalent) for all interior building products that have the potential to emit Volatile Organic Compounds (VOCs). The Declare label confirms a product's compliance with CDPH or an equivalent emissions standard

I-14 Responsible Sourcing requires that manufacturers of wood products demonstrate sustainable extraction through certification with the Forest Stewardship Council, by meeting ILFI's definition of low risk or salvaged wood, or through the use of a formal LBC Exception.

Third Party Verification indicates assessment by a professional third-party assessor to ensure the accuracy of the manufacturer's supply chain, purchasing, ingredient claims, LBC compliance, and embodied carbon if reported.

Reading the Declare Label - Top

Final Assembly Locations are collectively represented on a single label.

Embodied Carbon (optional) discloses the cradle-to-gate impacts of manufacturing the product as reported by manufacturer-specific Type III Environmental Product Declarations.

End-of-life options: take back programs; salvageable or reusable in its entirety; biodegradable/compostable (%); recyclable (%); landfill (%); hazardous waste.



LBC Criteria Compliance demonstrates compliance with all Imperatives applicable to the selection of building products within the Living Building Challenge. If a product meets the requirements for all applicable imperatives, the product is considered fully compliant with the Living Building Challenge, and will be noted as such on the Declare label graphic itself.

I-13 Red List requires that manufacturers disclose the ingredients and VOC content (if applicable) in their products to ensure that they are free of Red List chemicals.

Reading the Declare Label - Middle

Ingredients are reported by component. Ingredients without restriction appear in grey; **Red List chemicals appear in dark orange**; **Watch List Priority for inclusion chemicals appear in light orange.**

LBC Temporary Exemptions recognize specific market limitations and provide a compliance pathway for products to obtain LBC Compliance recognition.

polymer with ethene; Bicyclo[2.2.1]hept-2-ene, 5-ethylidene-, polymer with ethene and 1-propene; Ammonium polyphosphate; Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene) bis(4,1-phenyleneoxymethylene)]bis[oxirane]; 2-Propenoic acid, 2-methyl-, C12-15-branched and linear alkyl esters, polymers with cetyl methacrylate, Me methacrylate, polyethylene glycol methacrylate branched tridecyl ether and stearyl methacrylate; Methyl methacrylate; 1-Propene, homopolymer, isotactic; Barium sulfate; 1,3,5-Triazine, 2,4,6-trichloro-, polymer with piperazine, reaction products with morpholine; Aluminum hydroxide; Polyurethane foams; 1,3,5-Triglycidyl-s-triazinetrione[†]; Ethyl acrylate; Paraffin; Poly[[6-(4-morpholinyl)-1,3,5-triazine-2,4-diyl]-1,4-piperazinediyl] (average MW 1690 g/mol); Polyethylene; Zirconium, adipate chloro hydroxy propylene glycol aluminum complexes

[†]LBC Temp Exception RL-002 - Small Electrical Components
^{*}REACH SVHC present > 100ppm
[†]SIN List present > 100ppm

Living Building Challenge Criteria: Compliant

I-13 Red List:

LBC Red List Free % Disclosed: 100% at 100ppm
 LBC Red List Approved VOC Content: Not Applicable
 Restricted

I-10 Interior Performance requires compliance with the California Department of Public Health (CDPH) Standard Method v1.1-2010 (or international equivalent) for all interior building products that have the potential to emit Volatile Organic Compounds (VOCs). The Declare label confirms a product's compliance with CDPH or an equivalent emissions standard

I-14 Responsible Sourcing requires that manufacturers of wood products demonstrate sustainable extraction through certification with the Forest Stewardship Council, by meeting ILFI's definition of low risk or salvaged wood, or through the use of a formal LBC Exception.

Reading the Declare Label - Bottom

Declare Identifier for company and product, valid for 12 months.

Original Issue Date indicates how long a product has been in the program.

acrylate; Paraffin; Poly[[6-(4-morpholinyl)-1,3,5-triazine-2,4-diy]-1,4-piperazinediy] (average MW 1690 g/mol); Polyethylene; Zirconium, adipate chloro hydroxy propylene glycol aluminum complexes

*LBC Temp Exception RL-002 - Small Electrical Components
*REACH SVHC present > 100ppm
†SIN List present > 100ppm

Living Building Challenge Criteria: Compliant

I-13 Red List:
 LBC Red List Free % Disclosed: 100% at 100ppm
 LBC Red List Approved VOC Content: Not Applicable
 Declared

I-10 Interior Performance: Not Applicable
I-14 Responsible Sourcing: Not Applicable

FIN-0001
EXP. 01 AUG 2023
SCREENED: 29 JUL 2022
Original Issue Date: 2020

Third Party Verified

MANUFACTURER CLAIMS VERIFIED BY SGS GLOBAL SERVICES
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Third Party Verification indicates assessment by a professional third-party assessor to ensure the accuracy of the manufacturer's supply chain, purchasing, ingredient claims, LBC compliance, and embodied carbon if reported.

Third Party Verified:

The International Living Future Institute has collaborated with approved program third-party assessors to provide manufacturers with the opportunity for third-party verification of Declare label claims.



Declaration Status:

- LBC Red List Free
- LBC Red List Approved
- Declared



3 Types of Declare Labels



Declare.

Product Name
Manufacturer

Final Assembly: First City, State, Country;
Second City, State, Country; Third City, State, Country
Life Expectancy: 50 Years
Embodied Carbon: # kg CO₂-eq ■
Declared Unit: # m²
End of Life Options: Recyclable (95%), Landfill (5%),
Take Back Program (Program Name/Location)

Ingredients:

Your First Component: Sustainably Sourced Ingredient;
LBC Red List Ingredient¹; Your Second Component:
LBC Watch List Priority for Inclusion: Non-Toxic Ingredient;
Undisclosed (<0.1%)²

¹LBC Temp Exception RL-009 Formaldehyde
²LBC Temp Exception RL-004var.a Proprietary Ingredients

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free
- LBC Red List Approved
- Declared

% Disclosed: 99.9% at 100ppm
VOC Content: # g/L

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Product Available with FSC Chain of Custody

XXX-XXXX
EXP. 01 OCT 2021
Original Issue Date: 20XX

Third Party Verified

MANUFACTURER CLAIMS VERIFIED BY THIRD PARTY VERIFIED ASSESSOR
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

DECLARED



Declare.

Product Name
Manufacturer

Final Assembly: First City, State, Country;
Second City, State, Country; Third City, State, Country
Life Expectancy: 50 Years
Embodied Carbon: # kg CO₂-eq ■
Declared Unit: # m²
End of Life Options: Recyclable (95%), Landfill (5%),
Take Back Program (Program Name/Location)

Ingredients:

Your First Component: Sustainably Sourced Ingredient;
LBC Red List Ingredient¹; Your Second Component:
LBC Watch List Priority for Inclusion: Non-Toxic Ingredient;
Undisclosed (<0.1%)²

¹LBC Temp Exception RL-009 Formaldehyde
²LBC Temp Exception RL-004var.a Proprietary Ingredients

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free
- LBC Red List Approved
- Declared

% Disclosed: 99.9% at 100ppm
VOC Content: # g/L

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Product Available with FSC Chain of Custody

XXX-XXXX
EXP. 01 OCT 2021
Original Issue Date: 20XX

Third Party Verified

MANUFACTURER CLAIMS VERIFIED BY THIRD PARTY VERIFIED ASSESSOR
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

LBC RED LIST APPROVED



Declare.

Product Name
Manufacturer

Final Assembly: First City, State, Country;
Second City, State, Country; Third City, State, Country
Life Expectancy: 50 Years
Embodied Carbon: # kg CO₂-eq ■
Declared Unit: # m²
End of Life Options: Recyclable (95%), Landfill (5%),
Take Back Program (Program Name/Location)

Ingredients:

Your First Component: Sustainably Sourced Ingredient;
LBC Red List Ingredient¹; Your Second Component:
LBC Watch List Priority for Inclusion: Non-Toxic Ingredient;
Undisclosed (<0.1%)²

¹LBC Temp Exception RL-009 Formaldehyde
²LBC Temp Exception RL-004var.a Proprietary Ingredients

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free
- LBC Red List Approved
- Declared

% Disclosed: 99.9% at 100ppm
VOC Content: # g/L

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Product Available with FSC Chain of Custody

XXX-XXXX
EXP. 01 OCT 2021
Original Issue Date: 20XX

Third Party Verified

MANUFACTURER CLAIMS VERIFIED BY THIRD PARTY VERIFIED ASSESSOR
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

LBC RED LIST FREE

The Declare Database:

- ❑ **Transparent** - a platform for public disclosure and enables a deep connection between suppliers and consumers
- ❑ **Simple & Searchable** - takes complex chemical analysis and raw material source location information and provides it to consumers in an easy-to-use “nutrition label”
- ❑ **Free** - the Declare Database is free for everyone

Finelite Declare Portfolio

Fixture Series	Luminaire Construction	Red List Declared*	Red List Approved*	Red List Free*
E1	Steel	✓	Pending	Pending
E2	Aluminum	✓	Pending	Pending
E3	Aluminum	✓	✓	Pending
HO4	Aluminum	✓	✓	Pending
HP-WG	Steel	✓	✓	Pending
HP-WS	Steel	✓	✓	Pending
HP-2 Acoustic	Polyester Fiber	✓	✓	✓**
HP-2	Aluminum	✓	✓	Pending
HP-2 Circle	Steel	✓	✓	Pending
HP-2 WS	Aluminum	✓	✓	Pending
HP-4	Aluminum	✓	✓	Pending
HP-4 Circle	Steel	✓	✓	Pending
HP-4 WL	Aluminum	Pending	Pending	Pending
HP-6	Aluminum	✓	✓	Pending
HPO	Aluminum	✓	✓	Pending
HPR	Steel	✓	✓	Pending
HPT	Steel	✓	✓	Pending
HPW	Steel	✓	✓	Pending
HPX	Aluminum	✓	✓	Pending
S11 LED	Steel	✓	✓	Pending
S11 LED MF	Steel	✓	✓	Pending
S11 LED MP	Steel	✓	✓	Pending
S12 LED	Steel	✓	✓	Pending
S16 LED	Steel	✓	✓	Pending
S17 LED	Steel	✓	✓	Pending
S18 LED	Steel	✓	✓	Pending
S19 LED	Aluminum	✓	✓	Pending



Over 90% of our portfolio has received third-party verified Red List Approved and Declared labels to ensure the utmost transparency and accuracy in our claims.

Simplifying the Specification Process

Finelite makes the specification process easy when putting healthier products on your projects. Simply add – **RLA** (Red List Approved) or – **RLD** (Declared) to your part number.

HP-WG - 6W - 4D - 8' - S - 830 - 120V - SC - TR - SSA - FE-L - FE-R - C1 – **RLA** **RED LIST APPROVED**

HP-WG - 6W - 4D - 8' - S - 830 - 120V - SC - TR - SSA - FE-L - FE-R - C1 – **RLD** **DECLARED**

OTHER OPTIONS				
Endcap Style	Finish	Emergency Style (Optional)	Integrated Sensor (Optional)	Special Options (Optional)
<input checked="" type="radio"/> FE - Flat Endcap	<input type="radio"/> SW - Signal White <input type="radio"/> FB - Finelite Black <input type="radio"/> SA - Satin Aluminum <input type="radio"/> #### - RAL Color Code *	<input type="radio"/> LGD18W - Legrand 18W Brand Battery Back-up <input type="radio"/> LGD10W - Legrand 10W Brand Battery Back-up <input type="radio"/> EM/GEN - Emergency to Generator <input type="radio"/> NL - Night Light <input type="radio"/> BSL310LP - Bodine Battery Back up Low Profile <input type="radio"/> GTD - Generator Transfer Device <input type="radio"/> ALCR - Automatic Load Control Relay	<input type="radio"/> OBO - Occupancy <input type="radio"/> OBD - Daylight <input type="radio"/> W601 - Wattstopper* Wireless Sensor <input type="radio"/> OBE - Enlighted* <input type="radio"/> VOCC - Lutron Vive Wireless Sensor (VDO) ⁷ <input type="radio"/> VRF - Lutron Vive Radio Only ⁷	<input type="radio"/> CP - Chicago Plenum <input type="radio"/> RLA - Red List Approved <input type="radio"/> RLD - Declare

Submitted by: _____ Date: _____
 Type: _____ Project: _____
 Ordering Info: _____

FINELITE®
 Better Lighting

High Performance 2.5" Aperture (HPX) Recessed

Clear Form

BODY TYPE

Platform	Series Name	Luminaire Type	Luminaire Distribution	Total Run Length of Configuration
<input checked="" type="radio"/> HP - High Performance	<input checked="" type="radio"/> X - 2.5" Square	<input checked="" type="radio"/> R - Recessed	<input checked="" type="radio"/> D - Direct	Minimum 2' section length. Increments of 12" maximum section length.

OUTPUT AND LED TYPE

Downlight Output	CCT and CRI	Downlight Option	Voltage	Circuiting
<input type="radio"/> S - Standard <input type="radio"/> B - Boosted Standard <input type="radio"/> H - High <input type="radio"/> V - Very High <input type="radio"/> TL - Tailored: _____ lm/ft *	<input type="radio"/> 830 - 80 CRI min, 3000K <input type="radio"/> 835 - 80 CRI min, 3500K <input type="radio"/> 840 - 80 CRI min, 4000K <input type="radio"/> 930 - 90 CRI min, 3000K <input type="radio"/> 935 - 90 CRI min, 3500K <input type="radio"/> 940 - 90 CRI min, 4000K <input type="radio"/> 8TW - 80 CRI min, Tunable White <input type="radio"/> 9TW - 90 CRI min, Tunable White	<input checked="" type="radio"/> F - Flush	<input type="radio"/> 120 - 120 Voltage <input type="radio"/> 277 - 277 Voltage <input type="radio"/> 347 - 347 Voltage	<input type="radio"/> SC - Single Circuit* <input type="radio"/> MC - Multi Circuit* One single circuit in a run. More than one switch leg or zone (not IEC independent control of up and down separately for an IVD style fixture). Factory shop drawings required. [*] Battery Night Light and Emergency to Generator circuits are in addition to the normal luminaire circuit(s).

ELECTRICAL OPTIONS

Driver Selection	DMX Driver Options	Other Options
0-10V Driver Options <input type="radio"/> FC-10% - 0-10V 10% (standard) ¹ <input type="radio"/> FC-1% - 0-10V 1% ² <input type="radio"/> OT1-10% - EldoLED OT1, 0-10V 10% <input type="radio"/> OT1-1% - EldoLED OT1, 0-10V 1% ² <input type="radio"/> ELD-10V - EldoLED SOLOdrive, 0-10V 01% <input type="radio"/> 10V-TW-10% - EldoLED OT1, 0-10V 10% (Tunable White) ³ DALI Driver Options <input type="radio"/> FC-DALI-1% - DALI 1% <input type="radio"/> DXL-DALI-1% - EldoLED Dual, 1% <input type="radio"/> ELD-DALI-0% - EldoLED SOLOdrive, DALI 01% <input type="radio"/> ELD-DALI-TW - EldoLED Dual Drive Light Shape, 1% (Tunable White)	DMX Driver Options <input type="radio"/> FIN-DMX - Finelite DMX 1% (Tunable White - FineTUNE Controls Only) <input type="radio"/> DMX - EldoLED POWERdrive, 01% <input type="radio"/> DMX-TW - EldoLED POWERdrive, 01% (Tunable White) Lutron Driver Options <input type="radio"/> LUT-ESI - Lutron, Ecosystem 1% <input type="radio"/> LUT-ZW - Lutron, 2-wire (120v only) 1% <input type="radio"/> LUT-TW - Lutron T-Series, EcoSystem 01% (Tunable White)	OTHER OPTIONS <input type="radio"/> CP - Chicago Plenum <input type="radio"/> RLA - Red List Approved <input type="radio"/> RLD - Declare

ELECTRICAL OPTIONS

Driver Selection	DMX Driver Options	Other Options
0-10V Driver Options <input type="radio"/> FC-10% - 0-10V 10% (standard) ¹ <input type="radio"/> FC-1% - 0-10V 1% ² <input type="radio"/> OT1-10% - EldoLED OT1, 0-10V 10% <input type="radio"/> OT1-1% - EldoLED OT1, 0-10V 1% ² <input type="radio"/> ELD-10V - EldoLED SOLOdrive, 0-10V 01% <input type="radio"/> 10V-TW-10% - EldoLED OT1, 0-10V 10% (Tunable White) ³ DALI Driver Options <input type="radio"/> FC-DALI-1% - DALI 1% <input type="radio"/> DXL-DALI-1% - EldoLED Dual, 1% <input type="radio"/> ELD-DALI-0% - EldoLED SOLOdrive, DALI 01% <input type="radio"/> ELD-DALI-TW - EldoLED Dual Drive Light Shape, 1% (Tunable White)	DMX Driver Options <input type="radio"/> FIN-DMX - Finelite DMX 1% (Tunable White - FineTUNE Controls Only) <input type="radio"/> DMX - EldoLED POWERdrive, 01% <input type="radio"/> DMX-TW - EldoLED POWERdrive, 01% (Tunable White) Lutron Driver Options <input type="radio"/> LUT-ESI - Lutron, Ecosystem 1% <input type="radio"/> LUT-ZW - Lutron, 2-wire (120v only) 1% <input type="radio"/> LUT-TW - Lutron T-Series, EcoSystem 01% (Tunable White)	OTHER OPTIONS <input type="radio"/> CP - Chicago Plenum <input type="radio"/> RLA - Red List Approved <input type="radio"/> RLD - Declare

OTHER OPTIONS

Endcap Style	Finish	Emergency Style (Optional)	Integrated Sensor (Optional)	Special Options (Optional)
<input checked="" type="radio"/> FE - Flat Endcap	<input type="radio"/> SW - Signal White <input type="radio"/> FB - Finelite Black <input type="radio"/> SA - Satin Aluminum <input type="radio"/> #### - RAL Color Code *	<input type="radio"/> LGD18W - Legrand 18W Brand Battery Back-up <input type="radio"/> LGD10W - Legrand 10W Brand Battery Back-up <input type="radio"/> EM/GEN - Emergency to Generator <input type="radio"/> NL - Night Light <input type="radio"/> BSL310LP - Bodine Battery Back up Low Profile <input type="radio"/> GTD - Generator Transfer Device <input type="radio"/> ALCR - Automatic Load Control Relay	<input type="radio"/> OBO - Occupancy <input type="radio"/> OBD - Daylight <input type="radio"/> W601 - Wattstopper* Wireless Sensor <input type="radio"/> OBE - Enlighted* <input type="radio"/> VOCC - Lutron Vive Wireless Sensor (VDO) ⁷ <input type="radio"/> VRF - Lutron Vive Radio Only ⁷	<input type="radio"/> CP - Chicago Plenum <input type="radio"/> RLA - Red List Approved <input type="radio"/> RLD - Declare

¹Contact factory for switching options
²Add DTG to gain 10m to CP functionality (FC-10% - DTG)
³8 & 9 inches only
⁴20 Business day lead time for color
⁵LMP3400 w/ 0-10V driver and LMP310L up to 6 others may be connected
⁶LMP3400 w/ DALI driver, only 3 driver can be connected
⁷Enlighted components installed by Finelite. Provided by other
⁸Lutron Vive Integrated Sensors require a DALI driver

Page 2
 Finelite, Inc. - 30500 Whipple Road - Union City, CA 94587-9330 - P: 510-448-7000 - F: 510-448-3570 - www.finelite.com © 2022 FINELITE, INC. ALL RIGHTS RESERVED. VLS_CTK0248_04/22
 Due to continuing product improvements, Finelite reserves the right to change specifications without notice. Please visit www.finelite.com for the most current data.
 A brand of **legrand**

Declare Complies With...



LIVING BUILDING CHALLENGE™

LEED

INTERNATIONAL WELL BUILDING INSTITUTE

mindful MATERIALS

LBC
Materials, Health & Happiness Petals

LEEDv4 and v4.1
Building Product Disclosure and Optimization - Material Ingredients Option 1 and 2

GreenStar (NZ)
MAT-3 Sustainable Materials Credit

EPA EcoLabel Program
And approved for federal purchasing projects

WELL Building Standard
Feature 4: VOC Reduction, Feature 26: Toxic Material Reduction parts 1,2,3, and 5, Feature 26: Precautionary Material Selection

mindful MATERIALS
Declare product information is directly entered into the mindful MATERIALS database

A Holistic Approach to Green Building Standards



Rating System	Credit Category	Credit	Prerequisite or Credit	Finelite Declare
LEED v4.1	Building Product Disclosure and Optimization	Material Ingredient Reporting	Credit, Option 1	YES
LEED v4.1	Building Product Disclosure and Optimization	Material Ingredient Reporting Third-Party Verified	0.5 Credit, Option 1	YES

* Third-party verified Declare labeled products count as 1.5 Products instead of 1 Product in the LEED v4.1 Credit calculation in Option 1.



Standard	Petal	Imperative	Optional or Required	Finelite Declare
LBC v4.0	Material	I-12 Responsible Materials	Required	YES
LBC v4.0	Material	I-13 Red List	Required	YES
LBC v4.0	Material	I-14 Responsible Sourcing	Required	YES
LBC v4.0	Material	I-15 Living Economy Sourcing	Required	YES
LBC v4.0	Material	I-16 Net Positive Waste	Required	YES



Version	Concept	Feature	Precondition or Optimization	Finelite Declare
WELL V2	Material	X13 - Enhanced Material Precaution	Optimization	YES
WELL V2	Material	X14 - Material Transparency	Optimization	YES

* Our Declare labeled products also support project teams achieving WELL material features as they contribute to the USGBC LEED v4/v4.1 Material Ingredient Reporting Option 1 Credit.

The Finelite LED Difference



10-Year performance-based warranty



Buy American Act Compliance



Tailored Lighting



10 Working day shipping on standard orders