

Acoustic

Problem Solving

CHALLENGE IN COMMERCIAL SPACES

- Poor sound quality
- High noise levels
- Reverberation issues
- Discomfort for occupants

A SOUND IDEA

Today's design integrate surface elements like unfinished ceilings, exposed concrete floors, and large windows while also eliminating sound-absorbing materials. This results in acoustical challenges that have a direct impact on occupant well-being and productivity.

ACOUSTIC CONCEPTS TO CONSIDER



Speed of Sound

The distance traveled per unit time by a sound wave as it propagates through a medium.



Absorption

The conversion of sound energy into heat due to the properties of a material, thereby reducing the amount of reflected energy in a space.




Reverberation Time

A quantification of reverberation, reverberation time of a room or space is defined as the time it takes for sound to decay by 60 dB after the source of the sound has stopped.



Noise Reduction Coefficient (NRC)

A single number rating derived from measured values of sound absorption coefficients in accordance with ASTM Test Method C423.



52% of workers report they are interrupted by noise distractions more than 5 times in a working day.



The "Noise and Wellbeing at Work 2019" survey conducted by The Remark Group, supported by Dr. Nigel Oseland

Luminaire Features

OUR LUMINAIRES

Unparalleled performance and uniform illumination from a clean linear form factor. Our lines of light are designed for ease of installation and feature integral drivers, simple plug-together wiring, and screw-free access.

THE FINELITE DIFFERENCE

10-year warranty

90% of initial light output at 100,000 hours

1-100% **Dimming Standard**





Acoustic Features

OUR ACOUSTICS

We offer elegant and affordable approach to improve the sound quality of open space environments. Our acoustic products can be specified as a combination of high-performing, sound-absorbing LED pendant luminaires, in addition to, noise-reducing unlit baffles. Standard lengths of 4' and 8' combine for continuous runs.

Acoustic products contribute towards WELL Sound Absorption SO4 requirements.

WELL_{v2}

THE FINELITE DIFFERENCE

10-year warranty

100% Polyester fiber housing



Pre-assembled



Pewter housing color shown

Acoustic Features

ACOUSTIC HOUSING COLORS






Acoustic Features Continuous Runs


Continuous runs available for HP-2 Direct, Indirect/Direct, and Unlit Baffle. Runs comprised of 4-ft and 8-ft sections

HP-2 Acoustic

HP-2 ACOUSTIC INDIRECT/DIRECT HP-2 ACOUSTIC DIRECT HP-2 ACOUSTIC BAFFLE UNLIT APPARENT NRC

0.50 - 1.25





HP-2 Acoustic Indirect/Direct

Sound Absorption between 0.50-1.20 NRC Powerful Uplight

INDIGO-CLEAN TECHNOLOGY


Indigo-Clean Technology is a Continuous Environmental Disinfection System that emits a narrow spectrum light that kills bacteria, Influenza-A1, and SARS-CoV-2 - the virus that causes COVID-191




UPLIGHT OPTIC OPTIONS


Flush Widespread Optic Asymmetric Left or Right

DOWNLIGHT AESTHETIC OPTIONS

















Regressed Hex Louver

Hollowed Ellipse Louver


White Cross Blade Baffle

PRODUCT FAMILY FEATURES


100% Polyester Housing











HP-2 Acoustic Direct

Sound Absorption between 0.50-1.15 NRC

Flexible Mounting


Downlight Optics

INDIGO-CLEAN TECHNOLOGY

Indigo-Clean Technology is a Continuous Environmental Disinfection System that emits a narrow spectrum light that kills bacteria, Influenza-A1, and SARS-CoV-2 – the virus that causes COVID-191




DOWNLIGHT AESTHETIC OPTIONS








1" Drop Lens




Regressed



Hex Louver



Hollowed Ellipse Louver



White Cross Blade Baffle

PRODUCT FAMILY FEATURES


100% Polyester Housing

Fully adjustable plated steel cable

20 Housing color options

Lengths: 4' & 8' / Heights: 8" & 12"

10-Year warranty



HP-2 Acoustic Baffle Unlit

Sound Absorption between 0.55-1.25 NRC

Class A Fire Rating (ASTM E-84)

Moisture Resistant


HP-2 ACOUSTIC BAFFLE UNLIT

A true companion piece, this noise-reducing Unlit baffle displays a 2" aperture and features an aesthetic identical to its Lit counterpart with mitered corners and beveled internal edges.




Application

HP-2 ACOUSTIC INDIRECT/DIRECT HP-2 ACOUSTIC BAFFLE UNLIT



Application

HP-2 ACOUSTIC DIRECT HP-2 ACOUSTIC BAFFLE UNLIT






CALCULATOR

We have improved our calculation tool to help you specify Finelite acoustic products to meet the sound absorption requirements of your space.

Sign up and download the calculator or contact Finelite Internal Sales.

THE FINELITE LED DIFFERENCE







Dimming standard



Replaceable LED light arrays

FINELITE COMMITMENT TO YOU



10-day shipping on standard orders



Focus on sustainability