

Reach

by Finelite™

The Reach glides. The Reach performs. The Reach adapts.
The Reach *by Finelite™* delivers flexible LED task lighting
for today's changing workplace.




Exceptional Flexibility. Breakthrough Performance.

Reach uses the same award-winning light engine as the **Curve** LED desk lamp, with added flexibility.

Innovative features

- Full range dimming to 5%
- Delivers 49 lumens per watt
- 371 total lumens
- LM-79 and LM-80 data available
- State of the art LED array
- Buy American Act of 2009 compliant
- 5-year, worry-free warranty

Information based on Velo head design



worry-free
5
year
warranty

Visible Difference

- Delivers 49 lumens per watt*
- Consumes no power in off-state
- Buy American Act of 2009 compliant
- Up to 30 years life with typical office use
- Wide uniform coverage on the desk surface
- Research supports over 50% energy savings in offices
- Research from the Emerging Technologies Coordinating Council confirms workers prefer this type of lighting. They are more satisfied and comfortable in this type of environment.
- Best-in-industry thermal management
- State of the art LED array*

* information based on Velo head design
* Contact factory for current specification

Unique Head Designs:

Reach is available with a choice of two head designs. Velo and Viper.



Velo



Viper




QuickTouch™ Dimming

The QuickTouch dimmer is easy to use and was designed without a hard stop for durability. Scroll left or right to adjust the amount of light on your desk.


96% Recyclable



Reach components are constructed from aluminum, zinc, steel, electronics, and plastic. Reach is 96% recyclable at the end of useful life.



96% Recycled Content



For more environmental product data, visit www.finelite.com.



Reach fully integrates with the Personal Lighting System (PLS) solution

Reach

by Finelite™



Technical Specifications

- Power consumption: 8W max.
- Light output (Lumens): Velo: 371 / Viper: 359
- Efficacy: (Lumens per Watt): Velo: 49.5 / Viper: 47.9
- Color temperature: 3500K
- Color rendering: (CRI): Velo: 83 / Viper: 82
- L₇₀: Rated for 100,000 hours to 70% of initial lumens*
- QuickTouch™ dimming to 5%
- Zero power used when power supply is turned off
- LM-79 tested and LM-80 data available
- Complies with FCC requirements for commercial and residential use
- Backed by 5-year, worry-free warranty
- Field-replaceable LED module

* L₇₀ lifetime is estimated by the LED manufacturer based on independent testing of the Reach luminaire.

Style Elements

- Ultra-sleek profile
- Black finish

PLS System Compatibility


- Fully integrates with PLS System solution
- Seamless expansion for existing projects

Ordering Information

- ▶ Lamp: DL-R
- ▶ Head Design: (VE - Velo, VI - Viper)
- ▶ Arm Length: (12", 18")
- ▶ Finish: Black standard - B.
- ▶ Power Supply: PS-8W

Reach Photometric Performance

- Forward throw beam comfortably illuminates the entire task area with a single desk lamp.



Lamp head is 16" above desk surface at full light output. Download LM-79 test report at www.finelite.com



FINELITE
Better Lighting

30500 Whipple Rd • Union City, CA 94587-1530 • 510-441-1100 • Fax: 510-441-1510 • www.finelite.com

Photography Credits: © Michael David Rose Photography - Product.

©2012 Finelite Inc. All rights reserved. CPI0038 06/12

Due to continuing product improvements, Finelite reserves the right to change specifications without notice. Please visit www.finelite.com for most current data.